

Laminar Wall- Or -Ceiling-Mount Bath Filler K-923

Features

- Pressure-compensating flow control to deliver a splatter-free column of water.
- 0.95" (24 mm) orifice to optimize performance.
- Easy-to-access cartridge for cleaning and replacement.
- Complements the Purist[®] collection.

Material

Solid brass construction.

Installation

• Wall- or ceiling-mount.



Codes/Standards

ASME A112.18.1/CSA B125.1 All applicable US Federal and State material regulations

KOHLER[®] Faucet Lifetime Limited Warranty

See website for detailed warranty information.

Available Colors/Finishes


Color tiles intended for reference only.

| Color | Code | Description |
|---------------|------|-------------------------------|
| | CP | Polished Chrome |
| | SN | Vibrant® Polished Nickel |
| | AF | Vibrant® French Gold |
| | PB | Vibrant® Polished Brass |
| | BGD | Vibrant® Moderne Brushed Gold |
| | G | Brushed Chrome |
| in the second | BN | Vibrant® Brushed Nickel |
| | BV | Vibrant® Brushed Bronze |



KOHLER. Faucets

Laminar Wall- Or -Ceiling-Mount Bath Filler K-923



Technical Information

All product dimensions are nominal.

Ø 15/16" (24 mm) Orifice 7-5/8" (194 mm) -9-1/2" 14" (356 mm) -(241 mm) 16" (406 mm) 0 000 0 0 ° 0 $\mathcal{O}_{\mathcal{O}}$ 0 0 Top of **Bathing Fixture**

Notes

Install this product according to the installation guide.

For ceiling-mount installation, product must be mounted a maximum of 9' (2.7 m) above the bath/whirlpool floor.

Drip tray (K-924) is an optional accessory available for wall-mount installation only.

Ensure a minimum of 36" (914 mm) of straight piping prior to the spout.

When a deck mounted transfer valve (K-408-K or K-409-K) is used for a ceiling mount, install a check valve between the spout and the diverter

In applications where excessive air could enter the water supply, install an air separator to eliminate air bubbles.

Flow rate is 7-15 gal/min (26.5-56.8 l/min)]. Splashing may occur if the flow rate is less than 5 gal/min (18.9 l/min).

